




XL7





Generous luggage space with luggage board

Max Volume	803 L
3 rd row seatback folded, luggage board lowered	550 L

^{*} VDA Method









Third Row Seats

The 50-50 split third row seats can be individually reclined up to 16 degrees with several reclining angle allowing for maximum comfort for the passenger




Accessing the third row seats is also as easy as 1-2-3 with the walk-in mechanism on the 2nd row seat

Convenient and Comfort Features

- Front armrest with storage
- 2 2nd row smartphone holder
- 3 Banknote/coin holder with partition
- Door pockets with 1L bottle holder
- Third row accessory socket with 1L bottle holder







The Hybrid system recharges the battery with electricity generated by deceleration energy, stops unnecessary power generation during cruising, and reduces engine load during fuel-consuming standing starts and acceleration. It saves fuel while delivering spirited response.





The smoothly curving frame increases underbody stiffness that delivers excellent fundamental vehicle performance while also contributing to collision safety by efficiently dispersing energy.

Aerodynamics

Computer-aided engineering and wind-tunnel testing ensures a low drag coefficient for excellent aerodynamic performance and fuel economy.

Safety and Environmental Capability





The headlamps automatically go off when the car exits a tunnel.



With Hill Hold Control



SRS Airbag System



Without Hill Hold Control

Reverse Parking Sensors and Camera



Hill Hold Control







Engine Auto Stop Start System

MAJOR SPECIFICATIONS

MAJUK SPECI	FICATIONS				
DIMENSIONS			GLX		
Overall Length		mm	4,450		
Overall Width		mm	1,775		
Overall Height		mm	1,710		
Wheelbase		mm	2,740		
Thread	Front	mm	1,520		
	Rear	mm	1,535		
Minimum turning radius		m	5.2		
Minimum ground clearance		mm	200		
CAPACITY					
Seating Capacity		persons	7		
Fuel Tank		Liters	45		
ENGINE					
Туре			K15B w/ ISG		
Number of cylinders Number of valves			<u>4</u> 16		
Piston displacement		CC	1.462		
Maximum output		kW(ps)/rpm	77 (104.8) / 6,000		
Maximum torque		N-m/rpm	138 / 4,400		
Fuel distribution			Multipoint injection		
HYBRID SYSTEM					
Hybrid System			12V Hybrid		
Battery Capacity (Lithium-ion)			0.72 kWh		
Electric Motor Max Output			1.768 kW		
Electric Motor Max Torque			50 N-m		
TRANSMISSION					
Туре			4AT		
CHASSIS					
Steering			Rack & Pinion		
Brakes	Front		Ventilated Disc		
2.a.too	Rear		Drum, Leading and trailing		
Suspension	Front		Macpherson strut with coil spring		
Gusperision	Rear		Torsion beam with coil spring		
Tyres			195/60R16		
Wheels			Polished Alloy Wheels		
WEIGHTS			1 Ollohod / Wildy Wildold		
	full options)	ka	1,200		
Kerb weight (min./with full options) Gross vehicle weight		kg	1,740		
Gross venicle weight		kg	1,740		


MAJOR EQUIPMENTS

MAJOR EQUIPMENTS						
VISIBILITY						
Headlamps	LED			S		
Automatic lamps	· · · · · · · · · · · · · · · · · · ·			S		
Rear combination lamps	LED with light guide	S				
Front Fog Lamps		S				
DRL						
Wipers	Front: 2 speed (low, high) +	nt + washer	S S			
	Rear: 1 speed + washer			S		
Outside door mirrors	Electric adjust			S		
	Electric fold			S		
	With built-in turn signal lamp)	S			
DRIVING AMENITIES						
Electric windows				S		
Central door locking				S		
Remote-control door locks				S		
Keyless push start system				S		
Air conditioner	Front automatic			S		
· · · · · · · · · · · · · · · · · · ·	Rear manual			S		
	Heater			S		
	Pollen filter			S		
Audio	10" Touchscreen Infotainm	nent Aud	lio	S		
Audio	GPS Navigation System			S		
	Connectivity			S		
	Commodavity		USB	S		
		-	Apple Carplay	S		
			Android Auto	S		
Front speakers x 2	S					
Rear speakers x 2				S		
Front tweeters x 2				S		
Antenna (mounted at front of roof)	S					
Cruise control	S					
SAFETY, SECURITY, AND ENVIRONMENTA	L COMPATIBILITY			-		
Engine Auto Stop Start System				S		
SRS front dual airbag				S		
Seatbelts	Front: 3-point ELR seatbelts with	ith pretens	S			
	2nd row: 3-point ELR seatbe	2nd row: 3-point ELR seatbelts x2 with centre 2-point lapbelt		S		
	3rd row: 3-point ELR seatbelt	lts x2		S		
ISOFIX lower anchorage	x2			S		
ISOFIX top tether anchorage	x2			S		
Childproof rear door locks				S		
Side impact door beams	S					
Anti-lock Brake System with Electronic Brakeforce I	S					
Electronic Stability Progam®	S					
Hill hold control	S					
AT shift lock / key interlock	S					
High-mount stop lamp	LED	S				
Rear parking sensors	2 sensor		S			
Reverse Camera	S					
Immobiliser	S					
	Recurity alarm Door sensing					
Occurry didiff	S					

New Two-tone Colors

AVAILABLE COLORS







Rising Orange Pearl Metallic/ Cool Black Pearl Metallic



Magma Gray Metallic



Brave Khaki Pearl



Snow White Pearl



Cool Black Pearl Metallic



For inquiries, please contact:

Monotone Colors